


MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



Research Report CCS 441



INVARIANT MULTIPLICATIVE EFFICIENCY AND PIECEWISE COBB-DOUGLAS ENVELOPMENTS

by

- A. Charnes
- W. W. Cooper
- L. Seiford J. Stutz*

The University of Texas Austin, Texas 78712



Mauribution United



Research Report CCS 441



INVARIANT MULTIPLICATIVE EFFICIENCY AND PIECEWISE COBB-DOUGLAS ENVELOPMENTS

by

A. Charnes

W. W. Cooper

L. Seiford

J. Stutz*



November 1982

*The University of Miami, Coral Gables, Florida

This research is partly supported by ONR Contract N00014-81-C-0236, USARI Contract MDA-903-81-C-0365, AF Contract F49642-82-C0129 with the Center for Cybernetic Studies, The University of Texas at Austin; also ONR Contract N00014-88-0131 with Carnegie-Mellon University School of Urban and Public Affairs. Reproduction in whole or in part is permitted for any purpose of the United States Government.

CENTER FOR CYBERNETIC STUDIES

A. Charnes, Director
Business-Economics Building, 203E
The University of Texas at Austin
Austin, Texas 78712
(512) 471-1821




Abstract

A new multiplicative efficiency formulation is developed wherein the efficiency values are invariant under changes in the units of measurement of outputs and inputs. It is shown that the associated Data Envelopment Analysis (DEA) implies that optimal envelopments are of piecewise Cobb-Douglas type. This leads to a new method for estimating frontier production functions of Cobb-Douglas type.

KEY WORDS

Multiplicative Efficiency Log Efficiency Data Envelopment Analysis Piecewise Cobb-Douglas Forms Production Functions



Invariant Multiplicative Efficiency and Piecewise Cobb-Douglas Envelopments

by

A. Charnes, W. W. Cooper, L. Seiford, J. Stutz*

Introduction

In [1], Charnes, Cooper, Seiford, and Stutz (C²S²) develop a multiplicative (or log) measure of the relative efficiency of multiple input, multiple output productive (or "decisionmaking") units (DMU's). In contrast to the CCR measure [2, 3], the multiplicative measure obtained in [1] is not invariant under change of units in the inputs or outputs. We show here how by a simple change preserving the multiplicative format that a units invariant multiplicative measure can be obtained. Interestingly, the Data Envelopment Analysis (DEA) associated with this new modification necessarily yields optimal envelopments by Cobb-Douglas functions, i.e., the efficiency surface is piecewise Cobb-Douglas rather than merely log-linear! This uncovers a new role for Cobb-Douglas functions¹—they are necessary for the units invariant property of a multiplicative measure.

Units Invariant Multiplicative Efficiencies

The C^2S^2 multiplicative model reduces the input-output quantities to single virtual output to input ratios. If we now introduce an additional <u>virtual</u> output multiplier and <u>virtual</u> input multiplier, we obtain the following form for our problem to measure the efficiency of DMU_a relative to all the n DMU's:

$$\max (e^{\hat{n}} \prod_{r=1}^{S} Y_{ro}^{\mu_r}) / (e^{\hat{\xi}} \prod_{i=1}^{m} X_{io}^{\nu_i})$$

$$(1) \quad \text{s.t.} \quad (e^{\hat{n}} \prod_{r=1}^{S} Y_{rj}^{\mu_r}) / (e^{\hat{\xi}} \prod_{i=1}^{m} X_{ij}^{\nu_i}) \leq 1, \ j = 1, ..., n$$

$$-\hat{n} \leq 0, \ -\hat{\xi} \leq 0, \ -\mu_r \leq -\delta, \ -\nu_i \leq -\delta, \ \forall r, i,$$

¹Other properties relating Cobb-Douglas forms to more general classes of functions are examined in [5].

where $\delta > 0$ and DMU₀ is one of the n DMU's in the constraints.

Suppose the units in the outputs and the inputs are changed so that Y_{rj} becomes $a_r Y_{rj}$ and X_{ij} becomes $b_i X_{ij}$ where $a_r , b_i > 0$, Y_r , i (Note a_r or $b_i = 1$ corresponds to no change in those units). Problem (1) becomes

$$\max_{r} e^{\eta} (\prod_{r} a_{r}^{\mu r}) \prod_{r} Y_{ro}^{\mu r} / e^{\hat{\xi}} (\prod_{j} b_{i}^{\nu j}) \prod_{j} X_{io}^{\nu j}$$

$$\text{s.t.} \quad e^{\hat{\eta}} (\prod_{r} a_{r}^{\mu r}) \prod_{r} Y_{rj}^{\mu r} / e^{\hat{\xi}} (\prod_{j} b_{i}^{\nu j}) \prod_{j} X_{ij}^{\nu j} \leq 1, \ j = 1, \dots, n$$

$$-\hat{\eta} \leq 0, \ -\hat{\xi} \leq 0, \ -\mu_{r} \leq -\delta, \ -\nu_{i} \leq -\delta, \ \forall r, i.$$

If (1) has optimal value E(1) with η^* , ξ^* , μ^* , ν^* an optimal solution, then $\exp(\hat{\eta}) = \operatorname{Kexp}(\hat{\eta}^*)/\Pi \ \operatorname{a}^{\mu r^*}_r$, $\exp(\hat{\xi}) = \operatorname{Kexp}(\hat{\xi}^*)/\Pi \ \operatorname{b}^{\vee f^*}_1$, μ^* , ν^* (where K > 0 assures $\hat{\eta}, \hat{\mu} > 0$) is "feasible" for (2) with value E(1). Hence for (2) the optimal value E(2) \geq E(1). Similarly from an optimal solution $\hat{\eta}$, $\hat{\xi}$, $\hat{\mu}$, $\hat{\nu}$ to (2) we construct a feasible solution to (1) with value E(2). Thereby E(1) \leq E(2) \leq E(1) i.e., the efficiency value is invariant under change of units.

The Cobb-Douglas Property

Taking logarithms in (1) and going to vector matrix notation as in [1], we obtain the dual linear programming problems:

$$\max \hat{\eta} - \hat{\xi} + \mu^{T} \hat{\gamma}_{0} - \nu^{T} \hat{\chi}_{0} \qquad \min \qquad \frac{II}{-\delta e^{T} s^{+} - \delta e^{T} s^{-}}$$

$$(3) \qquad \text{s.t. } \hat{\eta} e^{T} - \hat{\xi} e^{T} + \mu^{T} \hat{\gamma} - \nu^{T} \hat{\chi} \leq 0 \qquad \text{s.t. } e^{T} \lambda - \theta^{+} \qquad = 1$$

$$-\hat{\eta} \qquad \leq 0 \qquad -e^{T} \lambda - \theta^{-} \qquad = -1$$

$$-\hat{\xi} \qquad \leq 0 \qquad \hat{\gamma} \lambda \qquad -s^{+} = \hat{\gamma}_{0}$$

$$-\mu^{T} \qquad \leq -\delta e^{T} \qquad -\hat{\chi} \lambda \qquad -s^{-} = -\hat{\chi}_{0}$$

$$-\nu^{T} \leq -\delta e^{T} \qquad \lambda, \theta^{+}, \theta^{-}, s^{+}, s^{-} \geq 0$$

Here II represents the DEA side of the efficiency problem. Adding the first two equations in II, we obtain $-\theta^+ - \theta^- = 0$. Since θ^+ , $\theta^- > 0$ we must have $\theta^+ = \theta^- = 0$. Thus II reduces to

min
$$-\delta e^{T}s^{+} - \delta e^{T}s^{-}$$

(4) s.t.
$$\hat{Y}\lambda - s^{+} = \hat{Y}_{0}$$

 $-\hat{X}\lambda - s^{-} = -\hat{X}_{0}$
 $e^{T}\lambda = 1$
 $\lambda, s^{+}, s^{-} \ge 0$

Thereby we have \hat{Y}_0 and \hat{X}_0 enveloped by convex combinations of the \hat{Y}_j , \hat{X}_j . With optimal solutions λ^* , s^{*+} , s^{*-} , we can write

(5)
$$Y_{0} = \prod_{j=1}^{n} Y_{j}^{\lambda j} e^{-s j}$$

$$X_{0} = \prod_{j=1}^{n} X_{j}^{\lambda j} e^{s j}$$
where $\sum_{j} \lambda_{j}^{*} = 1$

and by $Y_j^{\lambda j}$, resp. $X_j^{\lambda j}$, we mean $(Y_{1j}^{\lambda j}, \ldots, Y_{sj}^{\lambda j})^T$ resp. $(X_{1j}^{\lambda j}, \ldots, X_{mj}^{\lambda j})^T$. Thus our optimal envelopments are by Cobb-Douglas functions with $\lambda_j^* > 0$ implying that DMU_j is efficient, i.e., DMU₀ is associated with the efficiency surface "facet" spanned by those DMU_j's for which $\lambda_j^* > 0$.

We note further that the simplified dual programs corresponding to (3) are now

$$(1')$$

$$\max_{\mu} \mu^{T} \hat{Y}_{0} - \nu^{T} \hat{X}_{0} + \omega \qquad \min_{\mu} -\delta e^{T} s^{+} - \delta e^{T} s^{-}$$

$$s.t. \quad \mu^{T} \hat{Y} - \nu^{T} \hat{X} + \omega e^{T} \leq 0 \qquad s.t. \quad \hat{Y} \hat{\lambda} - s^{+} = \hat{Y}_{0}$$

$$-\mu^{T} \leq -\delta e^{T} \qquad -\hat{X} \hat{\lambda} - s^{-} = -\hat{X}_{0}$$

$$-\nu^{T} \leq -\delta e^{T} \qquad e^{T} \hat{\lambda}, \quad s^{+}, \quad s^{-} \geq 0$$

These results present us with a new method for estimating piecewise Cobb-Douglas production functions directly from empirical data. The form of (II') in contrast to that of [4] is also sufficiently simple that one can anticipate that the mathematical statistics of this type of Cobb-Douglas estimation may well be developed in the near future (see also the Appendix in [3]).

REFERENCES

- [1] Charnes, A., Cooper, W. W., Seiford, L., and Stutz, J., "A Multiplicative Model for Efficiency Analysis," Socio-Economic Planning Sciences (forthcoming 1983); also CCS 416, Center for Cybernetic Studies, The University of Texas, Austin, Texas, November 1981.
- [2] Charnes, A., Cooper, W. W., and Rhodes, E., "Measuring the Efficiency of Decionsionmaking Units," <u>European Journal of Operational Research</u>, v. 2, pp. 429-444, 1978.
- [3] Charnes, A. and Cooper, W. W., "Management Science Relations for Evaluation and Management Accountability," <u>Journal of Enterprise Management</u>, v. 2, pp. 143-162, 1980.
- [4] Banker, R. D., Charnes, A., Cooper, W. W., and Schinnar, A. P., "A Bi-Extremal Principle for Frontier Estimation and Efficiency Evaluations," <u>Management Science</u>, v. 17, No. 12, pp. 1370-1382, December 1981.
- [5] Charnes, A., Cooper, W. W., and Schinnar, A. P., "A Theorem on Homogeneous Functions and Extended Cobb-Douglas Forms," Proc. Natl. Acad. Sci., U.S.A., 73, No. 10, pp. 3747-3748, October 1976.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
CCS 441	2. GOVY ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Substite) Invariant Multiplicative Efficiency and Piecewise Cobb-Douglas Envelopments		5. TYPE OF REPORT & PERIOD COVERED 6. PERFORMING ORG. REPORT NUMBER
7. Autнов(a) A. Charnes, W. W. Cooper J. Stutz	, L. Seiford, and	N00014-81-C-0236 N00014-80-0131
S. PERFORMING ORGANIZATION NAME AND ADDRESS Center for Cybernetic Studies The University of Texas at Austin Austin, Texas 78712		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. controlling office name and address Office of Naval Research (Code 434) Washington, D.C.		November 1982 13. Number of Pages 7
14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified 15a. Declassification/downgrading SCHEDULE

This document has been approved for public release and sale; its distribution is unlimited.

- 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)
- 18. SUPPLEMENTARY NOTES
- 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Multiplicative Efficiency, Log Efficiency, Data Envelopment Analysis, Piecewise Cobb-Douglas Forms, Production Functions

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

A new multiplicative efficiency formulation is developed wherein the efficiency values are invariant under changes in the units of measurement of outputs and inputs. It is shown that the associated Data Envelopment Analysis (DEA) implies that optimal envelopments are of piecewise Cobb-Douglas type. This leads to a new method for estimating frontier production functions of Cobb-Douglas type.

